



Packaging Machinery & Systems  
made for you



Automatic case former

**BEM300**



## STANDARD TECHNICAL FEATURES

- Production\* (variable according format):
  - BEM300: Up to 6 cases/min.
  - BEM300XL: Hasta 6 cases/min
- Dimensional adjustment: Manual.
- PLC Control system.
- Touch screen LCD.
- Bottom flaps closing with adhesive tape
- Tape end detector with alarm

## Optional

- Stainless steel 304
- Bottom flaps closing with Hot-Melt
- Motorized horizontal cases magazine

## Admissible carton dimensions (Type: RSC or B1)

	BEM300	BEM300XL
Lenght:	350 - 790 mm	500 - 850 mm
Width:	250 - 400 mm	200 - 650 mm
Height:	150 - 500 mm	210 - 500 mm

It is not possible to combine all the maximum dimensions  
Other dimensions on demand (it can add an extra cost)  
*The quality and format of the cases must be verified and approved by the  
EARFLAP technical office*



## Carton forming process







## Control panel



## Optional: Bottom flaps closing with Hot-Melt



## Optional: Flaps opener for automatic case packing



## Optional: Motorized conveyors (rollers or bands) infeed/outfeed of different lengths



### Motorized horizontal cases magazine (Optional)



Technical features	Standard
Electric power:	220 V 50 Hz
Installed power:	0,5 Kw
Pneumatic installation:	6 bar
Weight:	400 Kg.
Bottom flaps closing	Adhesive tape (48 a 72 mm)
Dimensional adjustment:	Manual
Production* (variable according format):	BEM300: Up to 6 cases/min. BEM300XL: Up to 6 cases/min

#### Admissible carton dimensions (Type: RSC or B1)

	BEM300	BEM300XL
Lenght:	350 - 790 mm	500 - 850 mm
Width:	250 - 400 mm	200 - 650 mm
Height:	150 - 500 mm	210 - 500 mm

It is not possible to combine all the maximum dimensions. Other dimensions on demand (it can add an extra cost)  
*The quality and format of the cases must be verified and approved by the EARFLAP technical office*

#### Standard main components

HMI:	Touch sreen LCD
PLC:	Siemens
Pneumatics components:	FESTO and AIRTAC
Safety devices:	Safety module: Omron / Pilz Limit switches: Tend
Hot-Melt equipment (optional)	Meler

Other components or brands on demand (it can add an extra cost)

\* Depending on the quality, structure and dimensions of the cartons

#### Options

Stainless steel 304
Bottom flaps closing with Hot-Melt
Flaps opener for automatic filling
Automatic dimensional adjustment
Motorized horizontal cases magazine
Other colours on demand (it can add an extra cost)



Photo: Automatic case former model BEM300 outfeed left with motorized horizontal cases magazine + Motorized rollers conveyor

Model BEM300 standard machine layout  
(Model BEM300XL Consult)

